Plansure Building Products Ltd	Safety Data Sheet
Unit A , B & C Porton Business Centre	Issue Date: May 2015
Porton , Salisbury , Wilshire , SP4 OND	
1. INDENTIFICATION OF THE PRODUCT	2.INFORMATION ON INGREDIENTS
PRE-CAST FLINT FACED SHAPED	Pre – cast concrete products are manufactured
CONCRETE BLOCK	from a mix of ingredients, including:
CONCRETE BLOCK	
	. Sand and gravel aggregates
	. Cement
	.Knapped / unknapped flints
3. HAZARDS IDENTIFICATION	4. FIRST AID MEASURES
There is a potential for respirable dust including	<u>General</u>
an element of respirable crystalline silica to be	Unlikely to be hazardous if handled correctly.
released if the product is drilled, cut, sawn or	
crushed. This could pose a health hazard if	<u>Inhalation</u>
inhaled over a prolonged period of time.	Remove to a dust free area and seek medical
	attention if breathing difficulties are
Concrete products and dust particles can also	experienced.
cause abrasion or irritation to skin and eyes.	
	Skin
The weight of the blocks could cause a health	Wash with soap and water. If prolonged contact
hazard if inappropriate manual handling	causes irritation seek medical attention.
techniques are employed.	
	Eyes
For further guidance see HSE publications EH44	Irrigate with plenty of water and seek medical
Dust: General principles of protection, Getting	attention if soreness continues.
to grips with Manual handling: a short guide	L
and information sheet Number 26 (Revision 2-	Ingestion
Cement.	Give water to drink and seek medical advice if
	necessary.
5. FIRE FIGHTING MEASURE	6. ACCIDENTAL RELEASE MEASURES
5. FINE FIGHTING INTEASURE	U. ACCIDENTAL RELEASE IVIEASURES
No fire or explosive hazard.	Personal precautions
	Wear a dust mask.
	Environmental measures
	No precautions required.

Plansure Building Products Ltd	Safety Data Sheet
Unit A , B & C Porton Business Centre	Issue Date: May 2015
Porton , Salisbury , Wilshire , SP4 OND	
7. HANDLING AND STORAGE	8. EXPOSURE CONTROLS/PERSONAL
	PROTECTION
Handling	
	Workplace Exposure Limits
The flint faced blocks are approximately 19kg	
each. An assessment should be made, taking	. Total inhalable nuisance dust: 10.0 mg/m3
into account the load, environmental, task and	(WEL)
individual capability and training. Always	.Total respirable nuisance dust:4.0 mg/m3
employ good lifting techniques.	(WEL)
cripioy good mang teeninques.	.Respirable crystalline Silica:0.1mg/m3 (WEL)
STORAGE	
STORAGE	All are given as maximum concentrations and
No restrictions.	expressed as an 8 hour time weighted average
NO TESTITICUOTIS.	(8hr TWA)
	(6 1 117.1)
	Respiratory measures
	mesphatory measures
	Dust masks should be worn if cutting of the
	blocks is required.
	blocks is required.
	Protection of skin and eyes.
	riotection of skill and eyes.
	Protective gloves should be worn when
	handling the blocks due to possible sharp
	edges. Overalls and safety goggles should also
	be worn.
	be worn.
9. STABILITY AND REACTIVITY	10.TOXICOLOGICAL INFORMATION
	Natural aggregates contain a wide range of
Conditions and materials to avoid	
NOT A DDI ICADI E	particle types and the behaviour, deposition,
NOT APPLICABLE.	fate and response to any particular particle
	after entry into the human respiratory system
	depends on their nature and size. Respirable
	dust approximates to the fraction that
	penetrates to the gas exchange region of the
	lung and is associated with health effects.
11. ECOLOGICAL INFORMATION	12. DISPOSAL CONSIDERATIONS
No environmental presautions	HANDLING OF ANY WASTE PRODUCTS
No environmental precautions.	
	All blocks can be disposed of at solid waste
	disposal or landfill site may be used. Do not
	burn the packaging material.

Plansure Building Products Ltd	Safety Data Sheet
Unit A , B & C Porton Business Centre	Issue Date : May 2015
Porton, Salisbury, Wilshire, SP4 OND	
13. TRANSPORT INFORMATION	
No environmental hazard	Training advice Employ good manual handling techniques
	Always wear suitable protective clothing and safety footwear.
FURTHER INFORMATION	LEGAL NOTICE
Further information on the flint blocks can be	
found at:	The information contained in this safety data sheet was considered the best available at the
Plansure Building Products Ltd	time of issue. However no warranty is made or
Unit A,B & C Porton Business Centre Porton , Nr Salisbury	implied that the information is accurate or complete. It is the user's obligation to evaluate
Wiltshire	and use this product safely and to comply with
SP4 OND	all applicable laws and regulations.
Tel: 01980 619137	
Fax: 01980 619267	
Website: www.planbloc.co.uk	